# This Page Is Inserted by IFW Operations and is not a part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

#### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

FIG. 1





FIG. 2




# FIG. 3A



# FIG. 3B



# FIG. 3C



#### FIG. 4A

CIRCULAR ARC WITH DIAMETER OF 30 mm CURVATURE RADIUS R = 15 mm (± 3 mm)




FIG. 4B

R = 1.5 cm BRISTLE LENGTH VARIES IF THE POSITION OF THE BRISTLE IMPLANTATION PART IS SHIFTED IN THE VERTICAL DIRECTION.




FIG. 4C




FIG. 4D




FIG. 5A




FIG. 5B




FIG. 6




FIG. 7

MALE AVERAGE = 28.3 TO 28.8 mm FEMALE AVERAGE = 27.0 TO 28.0 mm




FIG. 8

MALE = 33 mm (± 3 mm)

FEMALE = 32 mm (± 3 mm)

CURVATURE RADIUS R = 15 mm (± 1.5 mm)




FIG. 9A




FIG. 9B




FIG. 10

### AVERAGE VALUES FOR JAPANESE

MALE	57 mm
FEMALE	55.1 mm




FIG. 11





FIG. 12



### FIG. 13A

#### (OCCLUSION OF UPPER AND LOWER TEETH)

